



ELSEVIER

Marine Micropaleontology 34 (1998) 255-261

MARINE
MICROPALEONTOLOGY

Subject Index Marine Micropaleontology Volumes 32-34

- absolute age *see* C-14
absolute dating *see* absolute age
- acritarchs**
Arctic Ocean, stratigraphy 34(1-2) 1-27
actual age (absolute age) *see* absolute age
- Adriatic Sea**
Invertebrata 34(1-2) 91-106
- Africa *see also* North Africa**
Invertebrata, Congo River 33(1-2) 27-53
- algae**
calcareous algae, Ireland 34(3-4) 187-211
Coccolithophoraceae
China 32(1-2) 31-57
Pacific Ocean 32(1-2) 155-172
Coccolithus, Atlantic Ocean 34(1-2) 47-70
diatoms, Antarctic Ocean 32(3-4) 209-229
Emiliania huxleyi, Atlantic Ocean 34(1-2) 47-70
Gephyrocapsa oceanica, Atlantic Ocean 34(1-2) 47-70
nannofossils
Antarctic Ocean 32(3-4) 387-395;
33(3-4) 241-272
Atlantic Ocean 34(1-2) 47-70
China 32(1-2); 32(1-2) 31-57
Pacific Ocean 32(1-2) 155-172; 32(3-4) 341-363
South China Sea 32(1-2) 95-114
alkaline earth metals *see* magnesium
- alkenones**
South China Sea, Quaternary 32(1-2) 71-94
- Alpha Cordillera**
stratigraphy 34(1-2) 1-27
- Amerasia Basin**
Conodonta 32(3-4) 365-385
- Ammonia beccarii**
France 34(3-4) 235-244
Korea, Quaternary 34(1-2) 71-89
- Ammonia ketienziensis**
Quaternary 34(1-2) 71-89
- Ammonia tepida**
paleontology 34(3-4) 235-244
- Ammonoidea**
China, stratigraphy 32(1-2) 3-29
- Amphistegina**
Florida 34(1-2) 107-115
analogues, modern *see* modern analogs
- Angola Basin**
Invertebrata 32(3-4) 249-287
- Antarctic Continent *see* Antarctica**
- Antarctic Ocean *see also* Kerguelen Plateau; ODP Site 748; ODP Site 751**
Invertebrata, Prydz Bay 32(3-4) 231-248
paleobotany
Bellingshausen Sea 32(3-4) 387-395
Bransfield Strait 32(3-4) 387-395
Prydz Bay 32(3-4) 209-229
Weddell Sea 32(3-4) 387-395
- Antarctica**
Invertebrata 32(3-4) 231-248
paleobotany 32(3-4) 209-229
- aragonite**
South China Sea, Quaternary 32(1-2) 115-126
- Arctic Archipelago**
Conodonta 32(3-4) 365-385
- Arctic Ocean**
34(3-4) 153-185
Conodonta, Amerasia Basin 32(3-4) 365-385
stratigraphy, Alpha Cordillera 34(1-2) 1-27
- Arthropoda *see* Mandibulata**
- Asia *see* Far East**
- Astrononion italicum**
Quaternary 34(1-2) 71-89
- Atlantic Ocean *see also* North Atlantic**
33(3-4) 223-240; 34(3-4) 213-234
Invertebrata 33(1-2) 27-53; 34(1-2) 29-46
Angola Basin 32(3-4) 249-287
Cape Basin 32(3-4) 249-287
Rio Grande Rise 32(3-4) 289-310
Walvis Ridge 32(3-4) 249-287
Pliocene 33(3-4) 203-222
Quaternary 33(1-2) 1-25; 34(1-2) 47-70
stratigraphy 33(1-2) 55-86; 33(1-2) 109-156
- Australasia *see* New Zealand**
- Banda Sea**
Quaternary 32(3-4) 311-340
Radiolaria 33(3-4) 299-307
- Barnstable County Massachusetts**
ecology 33(3-4) 175-202
- basins**
China, stratigraphy 32(1-2) 31-57
- Bay of Bourgneuf**
paleontology 34(3-4) 235-244
- Bellingshausen Sea**
paleobotany 32(3-4) 387-395
- biodiversity**
Atlantic Ocean, stratigraphy 33(1-2) 55-86
biogenic structures *see* bioturbation
- biogeography**
Antarctic Ocean
paleobotany 32(3-4) 387-395
Pliocene 33(3-4) 241-272
Arctic Ocean 34(3-4) 153-185
Atlantic Ocean 33(3-4) 223-240

- Invertebrata 32(3-4) 249-287; 33(1-2) 27-53
 Pliocene 33(3-4) 203-222
- biologic evolution**
 Antarctic Ocean, Pliocene 33(3-4) 241-272
 Atlantic Ocean, Pliocene 33(3-4) 203-222
 Vertebrata 34(3-4) 247-251
- biological diversity *see* biodiversity
 biological zones *see* biozones
- biomineralization** 34(1-2) 107-115
- biostratigraphy** *see also* biozones; nanno-fossils; paleoecology
 Arctic Ocean 34(1-2) 1-27
 New Zealand 34(3-4) 245-247
 Northwest Territories 32(3-4) 365-385
- bioturbation**
 Connecticut, ecology 33(3-4) 175-202
 Massachusetts, ecology 33(3-4) 175-202
- biozones**
 China, stratigraphy 32(1-2) 31-57
 stratigraphy 33(1-2) 109-156
- blind tests**
 Tunisia, Invertebrata 32(3-4) 397-399
- book reviews**
 New Zealand, stratigraphy 34(3-4) 245-247
 Vertebrata 34(3-4) 247-251
- boundaries, stratigraphic *see* stratigraphic boundary
- Bransfield Strait**
 paleobotany 32(3-4) 387-395
- Bryozoa**
 Ireland, stratigraphy 34(3-4) 187-211
- Buliminaeae *see* Uvigerinidae
- C see* carbon
- C-13/C-12**
 Atlantic Ocean
 Invertebrata 34(1-2) 29-46
 Quaternary 33(1-2) 1-25
 stratigraphy 33(1-2) 55-86
 Korea, Quaternary 34(1-2) 71-89
 South China Sea, Quaternary 32(1-2) 71-94; 32(1-2) 115-126
- C-14**
 Korea, Quaternary 34(1-2) 71-89
 Pacific Ocean, paleontology 32(3-4) 341-363
 South China Sea, Quaternary 32(1-2) 71-94
- Ca/Sr see* Sr/Ca
- calcareous algae**
 Ireland, stratigraphy 34(3-4) 187-211
- calcareous nannofossils *see* nannofossils
- Calcisphaerulidae**
 China, stratigraphy 32(1-2) 3-29
- calcium**
 Sr/Ca
 Antarctic Ocean 32(3-4) 231-248
 Coral Sea 32(3-4) 231-248
- calcium carbonate**
 Atlantic Ocean, Quaternary 33(1-2) 1-25
- Calpionella**
 China, stratigraphy 32(1-2) 3-29
- Campanian**
 Arctic Ocean 34(1-2) 1-27
 Canada *see* Northwest Territories
 Canton River *see* Zhujiang River
- Cape Basin**
 Invertebrata 32(3-4) 249-287
- Cape Darnley**
 paleobotany 32(3-4) 209-229
- carbon**
 Atlantic Ocean, Invertebrata 32(3-4) 249-287
 C-13/C-12
 Atlantic Ocean 33(1-2) 1-25; 33(1-2) 55-86; 34(1-2) 29-46
 Korea 34(1-2) 71-89
 South China Sea 32(1-2) 71-94; 32(1-2) 115-126
 C-14
 Korea 34(1-2) 71-89
 Pacific Ocean 32(3-4) 341-363
 South China Sea 32(1-2) 71-94
 organic carbon, Atlantic Ocean 32(3-4) 289-310
- carbon-14 *see* C-14
- carbonate compensation depth**
 Indian Ocean, marine geology 34(3-4) 121-151
 Pacific Ocean, Quaternary 32(1-2) 155-172
 South China Sea, Quaternary 32(1-2) 115-126
- carbonate sediments**
 Red Sea, Quaternary 33(1-2) 87-107
- carbonates *see* aragonite
- Carboniferous**
 Visean, Ireland 34(3-4) 187-211
- Cenozoic *see* Quaternary; Tertiary
- Central Africa *see* Congo River
- Cephalopoda *see* Tetrabranchiata
- Cerodinium leptodermum**
 stratigraphy 34(1-2) 1-27
- Chatham Rise**
 paleontology 32(3-4) 341-363
- China** *see also* Guangdong China; Xizang
 China
 stratigraphy 32(1-2)
- China Sea**
 Quaternary 32(1-2) 155-172
- chorology *see* biogeography
- Cibicides**
 Antarctic Ocean 32(3-4) 231-248
 Coral Sea 32(3-4) 231-248
- Cibicides refulgens**
 Invertebrata 32(3-4) 231-248
- Cibicides wuellerstorfi**
 Invertebrata 32(3-4) 231-248
- clastic sediments *see* mud
- climate change**
 Atlantic Ocean
 Quaternary 34(1-2) 47-70
 stratigraphy 33(1-2) 55-86
 Red Sea, Quaternary 33(1-2) 87-107
- climatology, paleo- *see* paleoclimatology
- Coccolithophoraceae** *see also* Coccolithus; Emiliana huxleyi; Gephyrocapsa oceanica
 China, stratigraphy 32(1-2) 31-57
 Pacific Ocean, Quaternary 32(1-2) 155-172
- Coccolithus**
 Atlantic Ocean, Quaternary 34(1-2) 47-70
- Coccolithus pelagicus**
 Quaternary 34(1-2) 47-70
- Comasphaeridium**
 stratigraphy 34(1-2) 1-27
- Congo River**
 Invertebrata 33(1-2) 27-53
- Congo River plume**
 Invertebrata 33(1-2) 27-53
- Connecticut**
 ecology, Middlesex County Connecticut 33(3-4) 175-202
- Conodonta**
 Northwest Territories 32(3-4) 365-385
- constant sum constraint**
 Indian Ocean, Invertebrata 34(1-2) 117-120
- continental crust**
 Northwest Territories, Conodonta 32(3-4) 365-385
- continental slope**
 Pacific Ocean, Quaternary 32(1-2) 155-172
- continental type *see* continental crust
- coral reefs *see* reefs
- Coral Sea**
 Invertebrata 32(3-4) 231-248
 Quaternary 32(3-4) 311-340
- Cretaceous**
 Atlantic Ocean 34(1-2) 29-46
 Campanian, Arctic Ocean 34(1-2) 1-27
 China 32(1-2); 32(1-2) 3-29
 K-T boundary
 Atlantic Ocean 33(1-2) 55-86
 New Zealand 34(3-4) 245-247
 Tunisia 32(3-4) 397-399; 32(3-4) 399
- Maestrichtian
 Arctic Ocean 34(1-2) 1-27
 Atlantic Ocean 33(1-2) 55-86
- Cretaceous-Tertiary boundary *see* K-T boundary
- Crete**
 stratigraphy 33(3-4) 273-297

Cribronion subincertum

Quaternary 34(1-2) 71-89

crustcontinental crust, Northwest Territories
32(3-4) 365-385Crustacea *see* Ostracodacurrents *see* ocean currentsDeep Sea Drilling Project *see* IPOD; Leg 3;
Leg 44**deglaciation**South China Sea, Quaternary 32(1-2) 71-
94; 32(1-2) 95-114depth of compensation *see* carbonate com-
pensation depth**diatoms**

Antarctic Ocean 32(3-4) 209-229

Dinantian *see* Viséan**Dinoflagellata**

Arctic Ocean, stratigraphy 34(1-2) 1-27

Atlantic Ocean, Quaternary 33(1-2) 1-25

Greece, stratigraphy 33(3-4) 273-297

Dong Hai *see* East China Sea**DSDP Site 21**

stratigraphy 33(1-2) 55-86

DSDP Site 390

Invertebrata 34(1-2) 29-46

DSDP Site 525

stratigraphy 33(1-2) 55-86

DSDP Site 552

Pliocene 33(3-4) 203-222

DSDP Site 594

paleontology 32(3-4) 341-363

East China Sea

Ostracoda 32(1-2) 195-207

East Indian Ocean

marine geology 34(3-4) 121-151

East Mediterranean *see* Adriatic Sea**Echinodermata**

Ireland, stratigraphy 34(3-4) 187-211

ecology *see also* biogeography; reefs

Adriatic Sea, Invertebrata 34(1-2) 91-106

Atlantic Ocean, Invertebrata 34(1-2) 29-46

Connecticut 33(3-4) 175-202

Indian Ocean, marine geology 34(3-4)
121-151

Massachusetts 33(3-4) 175-202

North Sea, Invertebrata 34(1-2) 91-106

Pacific Ocean 33(3-4) 157-174

economic geology *see* peatEctoprocta *see* Bryozoa**Eemian**

Atlantic Ocean 34(1-2) 47-70

Eire *see* Ireland**El Kef Tunisia**

Invertebrata 32(3-4) 397-399; 32(3-4) 399

El Nino

Pacific Ocean 33(3-4) 157-174

Elphidium

Korea, Quaternary 34(1-2) 71-89

Elphidium advenum

Quaternary 34(1-2) 71-89

Emiliana huxleyi

Atlantic Ocean, Quaternary 34(1-2) 47-70

environmental geology *see* ecology**Eocene**

China 32(1-2) 31-57

Eocene *see* PaleogeneEurope *see* Southern Europe; Western
EuropeFar East *see* China; Korea**first occurrence**

Antarctic Ocean, Pliocene 33(3-4) 241-272

China, stratigraphy 32(1-2) 31-57

Florida

Invertebrata, Florida Keys 34(1-2) 107-115

Florida Keys

Invertebrata 34(1-2) 107-115

Florispheera profunda

Quaternary 34(1-2) 47-70

Foraminifera *see also* Miliolina; Rotaliina

34(3-4) 247-251

Arctic Ocean 34(3-4) 153-185

Atlantic Ocean 32(3-4) 249-287; 32(3-4)
289-310; 33(1-2) 27-53; 33(3-4) 223-
240; 34(1-2) 29-46; 34(3-4) 213-234

stratigraphy 33(1-2) 55-86

China, stratigraphy 32(1-2) ; 32(1-2) 3-29

Connecticut, ecology 33(3-4) 175-202

Indian Ocean 34(1-2) 117-120

marine geology 34(3-4) 121-151

Ireland, stratigraphy 34(3-4) 187-211

Massachusetts, ecology 33(3-4) 175-202

Pacific Ocean 32(3-4) 341-363; 33(3-4)
157-174

Quaternary 32(1-2) 59-69

Red Sea, Quaternary 33(1-2) 87-107

South China Sea, Quaternary 32(1-2) 71-
94; 32(1-2) 127-154

Tunisia 32(3-4) 397-399; 32(3-4) 399

Vanuatu, Quaternary 32(3-4) 311-340

Francepaleontology, Bay of Bourgneuf 34(3-4)
235-244Franklin District Northwest Territories *see*

Arctic Archipelago

functional morphology

France, paleontology 34(3-4) 235-244

Gastropoda *see* PteropodaGaussberg-Kerguelen Ridge *see* Kerguelen
Plateaugeochronology *see* absolute age; Cretaceous;
Eocene; Holocene; Neogene; Oligocene;
Paleogene; Paleozoic; Pleistocene; Plio-
cene; Quaternary; Triassicgeological oceanography *see* marine geology**geomagnetic polarity time scale**

stratigraphy 33(1-2) 109-156

geomorphology *see* glacial geology; sea-
level changes**Gephyrocapsa muelleri**

Quaternary 34(1-2) 47-70

Gephyrocapsa oceanica

Atlantic Ocean, Quaternary 34(1-2) 47-70

glacial maximum, last *see* last glacial maxi-
mum**glaciation *see also* deglaciation**

Atlantic Ocean

Pliocene 33(3-4) 203-222

Quaternary 33(1-2) 1-25

glaciology *see* glacial geology**global warming**

Antarctic Ocean, Pliocene 33(3-4) 241-272

Globigerinacea *see* Globorotaliidae**Globoconella**

Pliocene 33(3-4) 203-222

Globorotalia

Atlantic Ocean, Pliocene 33(3-4) 203-222

Greece

stratigraphy, Crete 33(3-4) 273-297

Guangdong China

stratigraphy, Zhujiang River 32(1-2) 31-57

Hanzawaia nipponica

Quaternary 34(1-2) 71-89

Heard Plateau *see* Kerguelen Plateau**Heinrich events**

Atlantic Ocean, Quaternary 34(1-2) 47-70

Helicosphaera carteri

Quaternary 34(1-2) 47-70

Hexacotulum

Radiolaria 33(3-4) 299-307

Holocene

33(1-2) 109-156

Antarctic Ocean 32(3-4) 231-248; 32(3-4)
387-395Atlantic Ocean 32(3-4) 249-287; 33(3-4)
223-240

China 32(1-2)

Connecticut 33(3-4) 175-202

Coral Sea 32(3-4) 231-248

East China Sea 32(1-2) 195-207

Korea 34(1-2) 71-89

Massachusetts 33(3-4) 175-202

Pacific Ocean 32(1-2) 59-69; 32(1-2) 155-
172; 33(3-4) 157-174; 33(3-4) 299-307South China Sea 32(1-2) 71-94; 32(1-2)
95-114; 32(1-2) 115-126; 32(1-2) 127-
154; 32(1-2) 173-194

Yellow Sea 32(1-2) 195-207

Hwang Hai *see* Yellow Sea**ichnofacies**

China, stratigraphy 32(1-2) 3-29

ichnofossils

China, stratigraphy 32(1-2) 3-29

Indian Ocean *see also* Red Sea

Invertebrata 34(1-2) 117-120
marine geology, East Indian Ocean 34(3-4)
121-151

stratigraphy 33(1-2) 109-156

Indonesian Seas *see* Banda Sea

Invertebrata *see* Arthropoda; Bryozoa; Echinodermata; Mollusca; Protista

IPOD *see* Leg 74; Leg 81; Leg 90

Ireland

stratigraphy 34(3-4) 187-211

isotopes

C-13/C-12

Atlantic Ocean 33(1-2) 1-25; 33(1-2)
55-86; 34(1-2) 29-46

Korea 34(1-2) 71-89

South China Sea 32(1-2) 71-94; 32(1-2)
115-126

C-14

Korea 34(1-2) 71-89

Pacific Ocean 32(3-4) 341-363

South China Sea 32(1-2) 71-94

O-18/O-16

Antarctic Ocean 33(3-4) 241-272

Atlantic Ocean 33(1-2) 1-25; 33(1-2)
55-86; 33(3-4) 203-222; 33(3-4) 223-
240; 34(1-2) 29-46; 34(1-2) 47-70

Korea 34(1-2) 71-89

Red Sea 33(1-2) 87-107

South China Sea 32(1-2) 71-94; 32(1-2)
115-126; 32(1-2) 127-154

Vanuatu 32(3-4) 311-340

K-T boundary

Atlantic Ocean 33(1-2) 55-86

New Zealand 34(3-4) 245-247

Tunisia 32(3-4) 397-399; 32(3-4) 399

Kef Tunisia *see* El Kef Tunisia

Kerguelen Plateau

Pliocene 33(3-4) 241-272

ketones *see also* alkenones

South China Sea, Quaternary 32(1-2) 95-
114

Kongo River *see* Congo River

Korea

Quaternary 34(1-2) 71-89

Kirithe

Ostracoda 32(1-2) 195-207

La Nina 33(3-4) 157-174

last glacial maximum

Vanuatu, Quaternary 32(3-4) 311-340

Leeuwin Current

Quaternary 32(3-4) 311-340

Leg 3 *see* DSDP Site 21

Leg 44 *see* DSDP Site 390

Leg 74 *see* DSDP Site 525

Leg 81 *see* DSDP Site 552

Leg 90 *see* DSDP Site 594

Leg 108 *see* ODP Site 659; ODP Site 665

Leg 120 *see* ODP Site 748; ODP Site 751

Leg 134 *see* ODP Site 828

lower Paleocene *see also* K-T boundary

33(1-2) 109-156

lysoclines

Indian Ocean, marine geology 34(3-4)
121-151

Pacific Ocean, Quaternary 32(1-2) 155-
172

South China Sea, Quaternary 32(1-2) 95-
114

Maestrichtian

Arctic Ocean 34(1-2) 1-27

Atlantic Ocean 33(1-2) 55-86

magnesium

Antarctic Ocean, Invertebrata 32(3-4)
231-248

Coral Sea, Invertebrata 32(3-4) 231-248

Mandibulata *see* Crustacea

marine geology

Indian Ocean 34(3-4) 121-151

marine sedimentation

Antarctic Ocean, paleobotany 32(3-4)
209-229

marine sediments

Antarctic Ocean, paleobotany 32(3-4)
387-395

Arctic Ocean 34(3-4) 153-185

Atlantic Ocean 33(3-4) 223-240; 34(3-4)
213-234

Invertebrata 32(3-4) 249-287

East China Sea, Ostracoda 32(1-2) 195-207

Pacific Ocean

paleontology 32(3-4) 341-363

Quaternary 32(1-2) 155-172

Red Sea, Quaternary 33(1-2) 87-107

South China Sea, Radiolaria 32(1-2) 173-
194

Vanuatu, Quaternary 32(3-4) 311-340

Yellow Sea, Ostracoda 32(1-2) 195-207

Marlborough New Zealand

stratigraphy 34(3-4) 245-247

marshes *see* salt marshes

Massachusetts

ecology, Barnstable County Massachusetts
33(3-4) 175-202

Mediterranean Sea *see* Crete; East Mediterranean

Melanesia *see* Vanuatu

Mesozoic *see* Cretaceous; Triassic

Messinian

Greece 33(3-4) 273-297

metals *see* alkaline earth metals

Mg *see* magnesium

microfossils *see* Conodonta

Middlesex County Connecticut

ecology 33(3-4) 175-202

Milankovitch theory

Greece, stratigraphy 33(3-4) 273-297

Miliolacea *see* Quinqueloculina

Miliolina *see* Miliolacea

Miocene

Messinian, Greece 33(3-4) 273-297

Tortonian, Greece 33(3-4) 273-297

mires *see* marshes

modern analogs

Florida, Invertebrata 34(1-2) 107-115

Pacific Ocean, paleontology 32(3-4) 341-
363

Mollusca

Ammonoidea, China 32(1-2) 3-29

Pteropoda

Red Sea 33(1-2) 87-107

South China Sea 32(1-2) 115-126

monsoons

Red Sea, Quaternary 33(1-2) 87-107

South China Sea, Quaternary 32(1-2) 71-
94

morphology *see* functional morphology

mud

Arctic Ocean, stratigraphy 34(1-2) 1-27

Nan Hai *see* South China Sea

nannofossils

Antarctic Ocean 32(3-4) 387-395

Pliocene 33(3-4) 241-272

Atlantic Ocean, Quaternary 34(1-2) 47-70

China, stratigraphy 32(1-2); 32(1-2) 31-57

Pacific Ocean

paleontology 32(3-4) 341-363

Quaternary 32(1-2) 155-172

South China Sea, Quaternary 32(1-2) 95-
114

Neogene *see also* Miocene; Pliocene

33(1-2) 109-156

China 32(1-2) 31-57

New Hebrides *see* Vanuatu

New Zealand

stratigraphy, Marlborough New Zealand
34(3-4) 245-247

North Africa *see* Tunisia

North Pacific *see* Northwest Pacific

North Polar Sea *see* Arctic Ocean

North Sea

Invertebrata 34(1-2) 91-106

Northwest Pacific *see* China Sea; East China
Sea; Okinawa Trough; South China Sea;
Yellow Sea

Northwest Territories

Conodonta, Arctic Archipelago 32(3-4)
365-385

Northwind Breccia

Conodonta 32(3-4) 365-385

Northwind Ridge

Conodonta 32(3-4) 365-385

O *see* oxygen

O-18/O-16

- Antarctic Ocean, Pliocene 33(3-4) 241-272
- Atlantic Ocean 33(3-4) 223-240
 - Invertebrata 34(1-2) 29-46
 - Pliocene 33(3-4) 203-222
 - Quaternary 33(1-2) 1-25; 34(1-2) 47-70
 - stratigraphy 33(1-2) 55-86
- Korea, Quaternary 34(1-2) 71-89
- Red Sea, Quaternary 33(1-2) 87-107
- South China Sea, Quaternary 32(1-2) 71-94; 32(1-2) 115-126; 32(1-2) 127-154
- Vanuatu, Quaternary 32(3-4) 311-340

ocean circulation

- Pacific Ocean, paleontology 32(3-4) 341-363

ocean currents

- Antarctic Ocean, paleobotany 32(3-4) 209-229
- Atlantic Ocean, Invertebrata 32(3-4) 249-287; 33(1-2) 27-53
- Pacific Ocean 33(3-4) 157-174
- Vanuatu, Quaternary 32(3-4) 311-340
- Ocean Drilling Program *see* Leg 108; Leg 120; Leg 134

Oceania *see* Melanesia

oceanography *see* continental slope; marine geology; ocean circulation; ocean floors; reefs; sea ice; sea water; sedimentation; sediments

ODP Site 659

- Pliocene 33(3-4) 203-222

ODP Site 665

- Pliocene 33(3-4) 203-222

ODP Site 748

- Pliocene 33(3-4) 241-272

ODP Site 751

- Pliocene 33(3-4) 241-272

ODP Site 828

- Quaternary 32(3-4) 311-340

Okinawa Trough

- Quaternary 32(1-2) 59-69

Oligocene

- China 32(1-2) 31-57

Orbitoidacea *see* Amphistegina; Cibicides

organic carbon

- Atlantic Ocean, Invertebrata 32(3-4) 289-310

organic compounds *see also* ketones; sapropel; total organic carbon

- Arctic Ocean, stratigraphy 34(1-2) 1-27

Ostracoda

- China, stratigraphy 32(1-2)
- East China Sea 32(1-2) 195-207
- Yellow Sea 32(1-2) 195-207

oxygen

- Adriatic Sea, Invertebrata 34(1-2) 91-106
- Atlantic Ocean, Invertebrata 32(3-4) 249-287

- North Sea, Invertebrata 34(1-2) 91-106

O-18/O-16

- Antarctic Ocean 33(3-4) 241-272
- Atlantic Ocean 33(1-2) 1-25; 33(1-2) 55-86; 33(3-4) 203-222; 33(3-4) 223-240; 34(1-2) 29-46; 34(1-2) 47-70
- Korea 34(1-2) 71-89
- Red Sea 33(1-2) 87-107
- South China Sea 32(1-2) 71-94; 32(1-2) 115-126; 32(1-2) 127-154
- Vanuatu 32(3-4) 311-340

Pacific Ocean *see also* El Nino; North Pacific; South Pacific; West Pacific
paleontology, Chatham Rise 32(3-4) 341-363

Quaternary

- Banda Sea 32(3-4) 311-340
- China Sea 32(1-2) 155-172
- Okinawa Trough 32(1-2) 59-69
- Radiolaria, Banda Sea 33(3-4) 299-307
- stratigraphy 33(1-2) 109-156

paleo-oceanography

- Antarctic Ocean 33(3-4) 241-272
- Arctic Ocean 34(1-2) 1-27
- Atlantic Ocean 33(3-4) 203-222
 - Quaternary 34(1-2) 47-70
- China 32(1-2)
- Pacific Ocean, Quaternary 32(1-2) 59-69
- Red Sea, Quaternary 33(1-2) 87-107
- South China Sea, Quaternary 32(1-2) 71-94; 32(1-2) 95-114; 32(1-2) 115-126; 32(1-2) 127-154
- Vanuatu, Quaternary 32(3-4) 311-340

paleobiogeography *see* biogeography

Paleocene**K-T boundary**

- Atlantic Ocean 33(1-2) 55-86
- New Zealand 34(3-4) 245-247
- Tunisia 32(3-4) 397-399; 32(3-4) 399
- lower Paleocene 33(1-2) 109-156

paleoclimatology *see also* C-13/C-12; glaciation; last glacial maximum; O-18/O-16

- Antarctic Ocean 32(3-4) 231-248
- Coral Sea 32(3-4) 231-248
- Pacific Ocean, Quaternary 32(1-2) 59-69

paleoecology *see also* biogeography; biologic evolution; ichnofacies

- Atlantic Ocean 33(1-2) 1-25
- Greece 33(3-4) 273-297
- Ireland 34(3-4) 187-211
- South China Sea, Quaternary 32(1-2) 95-114

Paleogene *see also* Eocene; Oligocene; Paleocene

- China 32(1-2) 3-29

paleogeography *see also* basins; biogeography; transgression

- Northwest Territories 32(3-4) 365-385
- Vanuatu, Quaternary 32(3-4) 311-340

paleontology *see* Bryozoa; Conodonta; Echinodermata; Foraminifera; ichnofossils; Ostracoda; Radiolaria

paleosalinity

- Greece 33(3-4) 273-297
- Red Sea, Quaternary 33(1-2) 87-107

Paleozoic *see also* Carboniferous

- Northwest Territories 32(3-4) 365-385

palynomorphs

- acritarchs, Arctic Ocean 34(1-2) 1-27
- Dinoflagellata
 - Arctic Ocean 34(1-2) 1-27
 - Atlantic Ocean 33(1-2) 1-25
 - Greece 33(3-4) 273-297

Parakrithe

- Ostracoda 32(1-2) 195-207

Parmales

- paleobotany 32(3-4) 387-395
- Pearl River, China *see* Zhujiang River

peat

- Connecticut, ecology 33(3-4) 175-202
- Massachusetts, ecology 33(3-4) 175-202

Pentalamina corona

- paleobotany 32(3-4) 387-395

phylogeny

- Pacific Ocean, Radiolaria 33(3-4) 299-307
- Vertebrata 34(3-4) 247-251

phytogeography *see* biogeography

Planoglobulina

- Invertebrata 34(1-2) 29-46

Planoglobulina acervulinoides

- Invertebrata 34(1-2) 29-46

Planoglobulina multicamerata

- Invertebrata 34(1-2) 29-46

Plantae *see* algae

Pleistocene

- China 32(1-2) 31-57
- Eemian, Atlantic Ocean 34(1-2) 47-70
- Pacific Ocean 32(1-2) 59-69; 32(3-4) 341-363
- Red Sea 33(1-2) 87-107
- South China Sea 32(1-2) 71-94; 32(1-2) 95-114; 32(1-2) 115-126; 32(1-2) 127-154

pleniglacial, last *see* last glacial maximum

Pliocene

- Antarctic Ocean 33(3-4) 241-272
- Atlantic Ocean 33(3-4) 203-222

Polycystinea

- Radiolaria 33(3-4) 299-307

Polyzoa *see* Bryozoa

Postglacial *see* Holocene

prasinophytes

- Arctic Ocean, stratigraphy 34(1-2) 1-27

problematic fossils

- Calcisphaerulidae, China 32(1-2) 3-29

Protista *see also* Radiolaria

- Ammonia beccarii

- France 34(3-4) 235-244
 Korea 34(1-2) 71-89
 Amphistegina, Florida 34(1-2) 107-115
 Calpionella, China 32(1-2) 3-29
 Cibicides
 Antarctic Ocean 32(3-4) 231-248
 Coral Sea 32(3-4) 231-248
 Elphidium, Korea 34(1-2) 71-89
 Foraminifera 34(3-4) 247-251
 Arctic Ocean 34(3-4) 153-185
 Atlantic Ocean 32(3-4) 249-287; 32(3-4) 289-310; 33(1-2) 27-53; 33(1-2) 55-86; 33(3-4) 223-240; 34(1-2) 29-46; 34(3-4) 213-234
 China 32(1-2); 32(1-2) 3-29
 Connecticut 33(3-4) 175-202
 Indian Ocean 34(1-2) 117-120; 34(3-4) 121-151
 Ireland 34(3-4) 187-211
 Massachusetts 33(3-4) 175-202
 Pacific Ocean 32(1-2) 59-69; 32(3-4) 341-363; 33(3-4) 157-174
 Red Sea 34(1-2) 87-107
 South China Sea 32(1-2) 71-94; 32(1-2) 127-154
 Tunisia 32(3-4) 397-399; 32(3-4) 399
 Vanuatu 32(3-4) 311-340
 Globorotalia, Atlantic Ocean 33(3-4) 203-222
 Quinqueloculina
 Adriatic Sea 34(1-2) 91-106
 North Sea 34(1-2) 91-106
 Silicoflagellata, Antarctic Ocean 33(3-4) 241-272
 Uvigerina
 Antarctic Ocean 32(3-4) 231-248
 Coral Sea 32(3-4) 231-248
Prydz Bay
 Invertebrata 32(3-4) 231-248
 paleobotany 32(3-4) 209-229
Pseudogumbelina palpebra
 Invertebrata 34(1-2) 29-46
Pteropoda
 Red Sea, Quaternary 33(1-2) 87-107
 South China Sea, Quaternary 32(1-2) 115-126
Pulleniatina obliquiloculata
 Quaternary 32(1-2) 59-69
Quaternary *see also* Holocene; last glacial maximum; Pleistocene
 Antarctic Ocean 32(3-4) 209-229
 Atlantic Ocean 33(1-2) 1-25; 34(3-4) 213-234
Quinqueloculina
 Adriatic Sea 34(1-2) 91-106
 North Sea 34(1-2) 91-106
Quinqueloculina seminula
 Invertebrata 34(1-2) 91-106
Racemigumbelina fructicosa
 Invertebrata 34(1-2) 29-46
 radiocarbon dating *see* C-14
Radiolaria
 China, stratigraphy 32(1-2)
 New Zealand, stratigraphy 34(3-4) 245-247
 Pacific Ocean 33(3-4) 299-307
 South China Sea 32(1-2) 173-194
 stratigraphy 33(1-2) 109-156
 rate of sedimentation *see* sedimentation rates
 Recent *see* Holocene
Red Sea
 Quaternary 33(1-2) 87-107
reefs
 Florida, Invertebrata 34(1-2) 107-115
Reticulofenestra
 stratigraphy 32(1-2) 31-57
Rio Grande Rise
 Invertebrata 32(3-4) 289-310
 Rotaliacea *see* Ammonia; Elphidium
 Rotaliina *see* Buliminacea; Globigerinacea; Orbitoidacea; Rotaliacea
salt marshes
 Connecticut, ecology 33(3-4) 175-202
 Massachusetts, ecology 33(3-4) 175-202
sapropel
 Greece, stratigraphy 33(3-4) 273-297
 sea floors *see* ocean floors
sea ice
 Antarctic Ocean, paleobotany 32(3-4) 209-229; 32(3-4) 387-395
 sea surface temperature *see* sea-surface temperature
sea water
 South China Sea, Quaternary 32(1-2) 71-94
sea-level changes *see also* transgression
 Pacific Ocean 32(1-2) 59-69
 South China Sea, Quaternary 32(1-2) 115-126
sea-surface temperature
 Atlantic Ocean 34(3-4) 213-234
 Quaternary 33(1-2) 1-25
 Pacific Ocean, paleontology 32(3-4) 341-363
 seawater *see* sea water
 sedimentary petrology *see* reefs; sedimentation; sediments
sedimentary structures
 bioturbation
 Connecticut 33(3-4) 175-202
 Massachusetts 33(3-4) 175-202
sedimentation *see also* sedimentation rates
 marine sedimentation, Antarctic Ocean 32(3-4) 209-229
sedimentation rates
 South China Sea, Quaternary 32(1-2) 71-94
 Vanuatu, Quaternary 32(3-4) 311-340
sediments *see also* peat
 Adriatic Sea, Invertebrata 34(1-2) 91-106
 Atlantic Ocean
 Quaternary 33(1-2) 1-25
 stratigraphy 33(1-2) 55-86
 carbonate sediments, Red Sea 33(1-2) 87-107
 marine sediments
 Antarctic Ocean 32(3-4) 387-395
 Arctic Ocean 34(3-4) 153-185
 Atlantic Ocean 32(3-4) 249-287; 33(3-4) 223-240; 34(3-4) 213-234
 East China Sea 32(1-2) 195-207
 Pacific Ocean 32(1-2) 155-172; 32(3-4) 341-363
 Red Sea 33(1-2) 87-107
 South China Sea 32(1-2) 173-194
 Vanuatu 32(3-4) 311-340
 Yellow Sea 32(1-2) 195-207
 mud, Arctic Ocean 34(1-2) 1-27
 North Sea, Invertebrata 34(1-2) 91-106
 Senonian *see* Campanian; Maestrichtian
Silicoflagellata
 Antarctic Ocean, Pliocene 33(3-4) 241-272
 slope, continental *see* continental slope
 South Atlantic *see* Angola Basin; Cape Basin; Rio Grande Rise; Walvis Ridge
South China Sea *see also* Zhujiang River
 Quaternary 32(1-2) 71-94; 32(1-2) 95-114; 32(1-2) 115-126; 32(1-2) 127-154; 32(3-4) 311-340
 Radiolaria 32(1-2) 173-194
 South Pacific *see* Chatham Rise
 Southern Europe *see* Greece
 Southwest Pacific *see* Banda Sea; Coral Sea
Spumellarida
 Radiolaria 33(3-4) 299-307
Sr/Ca
 Antarctic Ocean, Invertebrata 32(3-4) 231-248
 Coral Sea, Invertebrata 32(3-4) 231-248
 stable isotopes *see* C-13/C-12; O-18/O-16
stratigraphic boundary *see also* K-T boundary
 China, stratigraphy 32(1-2) 31-57
 Pacific Ocean, Quaternary 32(1-2) 59-69
 stratigraphy *see* Cretaceous; Eocene; Holocene; Neogene; Oligocene; Paleogene; Paleozoic; Pleistocene; Pliocene; Quaternary; Triassic
strontium
 Sr/Ca
 Antarctic Ocean 32(3-4) 231-248
 Coral Sea 32(3-4) 231-248
 structural basins *see* basins
 submarine geology *see* marine geology
Syracosphaera pulchra
 Quaternary 34(1-2) 47-70
 Tertiary *see* Neogene; Paleogene

Tetrabanchiata *see* Ammonoidea

Tetrapetalon elegans

Radiolaria 33(3-4) 299-307

Tibet China *see* Xizang China

Tintinnidae *see* Calpionella

Tortonian

Greece 33(3-4) 273-297

total organic carbon

Atlantic Ocean, Quaternary 33(1-2) 1-25

South China Sea, Quaternary 32(1-2) 71-94

transgression

Arctic Ocean, stratigraphy 34(1-2) 1-27

China, stratigraphy 32(1-2) 3-29

Korea, Quaternary 34(1-2) 71-89

Triassic

Northwest Territories 32(3-4) 365-385

Trifarina angulosa

Invertebrata 32(3-4) 231-248

Triparma laevis

paleobotany 32(3-4) 387-395

Tunisia

Invertebrata, El Kef Tunisia 32(3-4) 397-399; 32(3-4) 399

United States *see* Connecticut; Florida; Massachusetts

Upper Cretaceous *see* K-T boundary; Senonian

upper Miocene *see* Messinian; Tortonian

upper Pleistocene *see* Eemian

Uvigerina

Antarctic Ocean 32(3-4) 231-248

Coral Sea 32(3-4) 231-248

Vanuatu

Quaternary 32(3-4) 311-340

Visean

Ireland 34(3-4) 187-211

Walvis Basin *see* Cape Basin

Walvis Ridge

Invertebrata 32(3-4) 249-287

Weddell Sea

paleobotany 32(3-4) 387-395

West Pacific *see* Indonesian Seas; Northwest Pacific; Southwest Pacific

Western Europe *see* France; Ireland

Western Pacific Warm Pool

marine geology 34(3-4) 121-151

Xizang China

stratigraphy 32(1-2) 3-29

Yellow Sea

Ostracoda 32(1-2) 195-207

Quaternary 34(1-2) 71-89

Yeu

paleontology 34(3-4) 235-244

Zaire River *see* Congo River

Zhujiang River

stratigraphy 32(1-2) 31-57